

# WEST AFRICAN JOURNAL OF ORTHODONTICS

ISSN 2315-9502

VOLUME 7, NUMBER 2

DEC 2018

Separation Effects and  
Dislodgement of Orthodontic  
Separators.



Cranial Base Dimensions in Down  
Syndrome: A Comparative  
Cephalometric Study



Horizontal Reference Planes in the  
Cephalometric Assessment of  
Upper Incisor Angulation



Case report: Non-surgical  
Correction of Skeletal Anterior  
Open-bite.



Orthodontic Management of an  
Adult Patient

# Non-surgical Correction of Skeletal Anterior Open-bite.: A Case report

Njokanma A., Otuyemi OD

## Abstract

This case report presents the successful treatment of an adult patient with an anterior open bite. A 23-year-old female, who presented with the chief complaint of being unable to put her front teeth together. She had an Angle's class III molar relationship on a class 3 skeletal base, an anterior open bite of 8 mm and occlusal contacts only on the 2<sup>nd</sup> premolar and molar areas. The malocclusion was treated by a 4 unit extraction and the use of upper and lower fixed appliance, with a fixed tongue rake. A functional and aesthetic occlusion was achieved at the completion of treatment.

**Key words:** Anterior open bite, malocclusion, severe anterior open bite

## Author's Affiliation

Obafemi Awolowo University Teaching Hospital  
Ile-Ife, Osun State.

## Correspondence:

Dr A. Njokanma  
Email: adanjokanma@gmail.com  
Department of Child Dental Health  
Obafemi Awolowo University Teaching Hospital  
Ile-Ife Osun State.

## Introduction

**A**nterior open bite (AOB) is one of the most challenging malocclusions to treat in the orthodontic clinic and its aetiology is multifactorial. Oral habits and or vertical skeletal growth disturbances are the leading causes of anterior open bite.<sup>1,2</sup>

The prevalence of anterior open bite varies worldwide and across different age groups. It is said to be more common among Africans and Afro Carribeans<sup>3,4</sup>. A study among pre-school children in a Nigerian population<sup>5</sup> reported a prevalence of 2.8%, while the prevalence among orthodontic patients attending the Lagos University Teaching Hospital

was 11.2%.<sup>6</sup>

In a normal occlusion, the upper and lower incisors overlap, with the incisal edges of the lower teeth being in contact with the incisal and middle thirds of the palatal surface of the upper incisors, slightly below the cingulum.<sup>7</sup> Where an anterior open bite exists, this vertical overlap does not occur, and there is no incisal contact.

Anterior open bite may be classified as dental or skeletal. Dental AOBs are usually caused by oral habits such as digit sucking, they are asymmetrical, and are limited to the upper incisors, while severe skeletal AOB is caused by growth or functional disturbances, are symmetrical, and may extend beyond the incisors<sup>8</sup>.

In cases of severe AOB, the treatment option of choice is surgical correction, but often, patients are not willing to undergo orthognathic surgery. Other treatment options include myofunctional therapy with the use of a bite block, orthodontic treatment with fixed or removable orthodontic appliance to achieve molar intrusion and extrusion of anterior teeth, or a combination of the above mentioned.<sup>1,9,10</sup>

This article presents a clinical case of a non-growing female patient with severe anterior open bite treated by non-surgical means.

## Case report

A female patient, 23 years old, presented at the Orthodontic Unit of the Obafemi Awolowo University Teaching Hospital (Ile-Ife, Osun state) with a complaint of inability to put her front teeth together.

Clinical examination revealed the following:

**Medical and dental history**

There was history of previous orthodontic treatment with a spring loaded bite block about 4 years prior to the current presentation. Patient was unable to continue the treatment due to difficulty adjusting to the appliance.

There were no known allergies and the patient had no underlying medical conditions.

**Extra oral findings**

- Convex facial profile.
- Moderate smile line
- Increased lower facial height.
- Incompetent lips

**Intra oral findings**

- Moderate upper labial segment crowding
- An AOB of 8mm, extending to the 1<sup>st</sup> premolars bilaterally
- Palatal displacement of tooth no 12
- Moderately proclined upper incisors
- Upper mid-line shift to the right by 2mm
- Buccally displaced 13.
- 90 degree rotation of tooth no 15
- Lower arch fairly well aligned
- Angle’s Class III molar relationship bilaterally.

The aetiology of the AOB in this patient was uncertain. A tongue thrust habit was present but it was unclear if this habit was the cause of,<sup>11</sup> or a consequence of<sup>12</sup> the AOB.



**Figure 1: Initial presentation of the patient.**



**Figure 2. : Initial study models of the patient**



**Figure 3: Lateral cephalometric radiograph of the patient at presentation**

**Table 1: Cephalometric values**

	Measurement	Pre-treatment Values
SNA	90°	Increased
SNB	89°	Increased
ANB	1°	Decreased
UI-FP	132°	Increased
LI-MP	95°	Decreased
IIA	100°	Decreased
FMA	42°	Increased
MMA	38°	Increased
TFH	110mm	
LFH	64mm	
LFHP	58%	Upper limit of normal

### Orthodontic summary

- 23 year old female, Angle's class I malocclusion on a class 3 skeletal base complicated by
- AOB of 8mm from tooth 14 to 25
- Moderate upper anterior segment crowding
- 90° rotation of tooth 15
- A persistent tongue thrust habit.

### Investigations

A lateral cephalometric radiograph was taken.

### Treatment objectives:

1. Correct the open bite.
2. Relieve the upper anterior crowding.
3. De-rotate and align all teeth.
4. Break the tongue thrust habit.
5. Eliminate the midline shift.
6. Obtain a functional and stable occlusion.

### Treatment options

1. Orthodontic fixed appliance therapy with orthognathic surgery to correct the skeletal open bite.
2. An upper and lower fixed appliance with a 4 unit extraction, fixed tongue rake and intra oral elastics.

### Treatment plan.

The second treatment option, upper and lower fixed appliances with a 4 unit extraction was decided on because the patient declined surgery.

### Treatment progress

The fixed appliance of choice was a pre-adjusted MBT prescription (3M, Unitek). Treatment commenced with extraction of the upper 2<sup>nd</sup> premolars and the lower 1<sup>st</sup> premolars.

A tongue rake was welded to the molar bands in order to break the tongue thrust habit and to re-train the tongue, and the upper and lower fixed appliances were set up. Alignment and leveling began with 0.014" Nickel-Titanium wires in both arches and progressed to 0.016". An 0.018" Nickel-Titanium wire with preformed reverse curve of spee was placed in the upper arch, and a 0.016 stainless steel wire placed in the lower arch. This progressed to upper 0.016 and lower 0.018 stainless steel wires. Upper and lower 0.17 x 0.25 stainless steel wire with reversed curve of spee was placed in the upper arch.

Intermaxillary elastics (3/16" – medium force) were used full time as box elastics anterior (with 0.019 x 0.025" SSW) in the lower arch, and 0.016 Niti- wire in the upper arch after alignment and levelling in the posterior arch. The elastics were attached to the upper and lower molar hooks posteriorly and the canine hooks anteriorly, to close the bite and improve inter cuspatation. The midline was corrected using asymmetric elastics.

The active phase of the treatment lasted for 26 months after which fixed lingual retainers were bonded from canine to canine in both arches, a Hawley type retainer was also fabricated.



**Figure 4: Patient at the commencement of treatment (4a) with a tongue rake in place(4b)**

Treatment results

- Facial aesthetics was greatly improved.
- An overbite of 2mm was achieved.
- Overjet of 2mm
- Class I canine relationship
- Crowding in the upper and lower labial segment was resolved
- Tongue thrust habit was broken
- Masticatory functions were restored

- High smile line
- However , the midline and molar relationship corrections were not completely achieved due to the patient’s impromptu relocation to study abroad. There was an upper midline shift of 0.5mm to the right.
- Class III molar relationship not resolved.

Results achieved were maintained with the use of a Hawley’s type retainer and a bonded lingual retainer in the upper and lower arches.



Figure 5. Post-treatment photograph



Figure 6: Post-treatment study models



**Figure 7: Hawley’s type retainers for retention**

**Discussion**

As with a number of malocclusions, the treatment of AOB must be considered in terms of the treatment objectives and stability of the results. In order to achieve this, orthopaedic and or orthodontic measures can be employed. Orthognathic surgery may also be carried out to correct skeletal problems. Surgical correction is routinely indicated for non-growing patients with skeletal problems. The treatment consists basically of maxillary intrusion, with counter clockwise rotation of the mandible. Treatment of AOB with surgical procedures offers the advantage of better post treatment stability in comparison to orthodontic treatment alone.<sup>13</sup>

The treatment proposed for this patient was orthodontic therapy in addition to orthognathic surgery. However, the patient was unwilling to undergo surgery. A second option was to use upper and lower fixed appliances with a 4-unit extraction of the upper 2<sup>nd</sup> premolars and the lower 1<sup>st</sup> premolars . Non-surgical treatment of AOB is aimed at camouflaging the skeletal discrepancy by intruding the maxillary molars and extrusion of the incisors. This approach is, however , more complicated and requires a longer treatment period. An approach to



**Figure 8: Comparison of pre and post treatment results.**

non surgical treatment of AOB by Sarver and Weissman<sup>14</sup>, for adult patients with no growth potential involved extraction and retraction of the upper incisors. Patients in which this approach would be suitable should have proclined upper or lower incisors, little or no gingival display on smiling, no more than 2-3mm of upper incisor show at rest, and a normal craniofacial pattern<sup>14</sup>. The patient in question met most of the above criteria.

The stability of treatment results is also an area of concern. Treatments involving extractions have been reported to be more stable than non-extraction treatments.<sup>15</sup> several authors have reported high relapse rates, however, most of these cases have been in growing patients.<sup>16,17</sup>

The use of fixed and or removable retainers also ensures stability of treatment results.

Tongue position and activity have been implicated in difficulty to achieve long term treatment stability of AOB.<sup>16, 17</sup> We therefore ensured that there were no residual oral habits, as the patient had a tongue rake in place for the greater part of her treatment period. This will further serve to improve treatment stability as reported in literature.<sup>16,18,19</sup>

## Conclusion

The majority of orthodontists are conversant with the fact that the treatment of AOB is one of the most difficult malocclusions to treat, and perhaps one with the largest percentage of relapse. This case presented

shows a successful treatment using the nonsurgical approach to treatment of a severe AOB, which yielded a result that was a great improvement on the aesthetics and function of the patient.

## References

- Mizrahi E. A review of anterior open bite. *British Journal of Orthodontics* 1978;5(1):21-27.
- Nanda SK. Patterns of vertical growth in the face. *American Journal of Orthodontics and Dentofacial Orthopedics* 1988;93(2):103-16.
- Burford D, Noar JH. The causes, diagnosis and treatment of anterior open bite. *Dental update* 2003;30(5):235-41.
- Cozza P, Mucedero M, Baccetti T, Franchi L. Early orthodontic treatment of skeletal open-bite malocclusion: a systematic review. *The Angle Orthodontist* 2005;75(5):707-13.
- Ize-Iyamu I, Isiekwe M. Prevalence and factors associated with anterior open bite in 2 to 5 year old children in Benin city, Nigeria. *African health sciences* 2012;12(4):446-51.
- Oluranti OD, Ifeoma LU. Referral mode and pattern of malocclusion among patients attending the Lagos university teaching hospital, Lagos, Nigeria. *Odontostomatol Trop* 2009;32(128):17-23.
- Proffit WR, Fields Jr HW, Sarver DM. *Contemporary orthodontics*: Elsevier Health Sciences; 2014.
- Sandler PJ, Madahar AK, Murra A. Anterior open bite: aetiology and management. *Dental update* 2011;38(8):522-32.
- de Barros RTG, Câmara PP, Aloise AC, et al. Anterior open bite correction using bite block: a case report. *IJO* 2012(2);23.
- Enacar A, Ugur T, Toroglu S. A method for correction of open bite. *Journal of clinical orthodontics: JCO* 1996;30(1):43-48.
- Straub WJ. Malfunction of the tongue: Part I. The abnormal swallowing habit: Its cause, effects, and results in relation to orthodontic treatment and speech therapy. *American Journal of Orthodontics* 1960;46(6):404-24.
- Brauer JS, Holt TV. Tongue thrust classification. *The Angle Orthodontist* 1965;35(2):106-12.
- Denison TF, Kokich VG, Shapiro PA. Stability of maxillary surgery in openbite versus nonopenbite malocclusions. *The Angle Orthodontist* 1989;59(1):5-10.
- Sarver DM, Weissman SM. Nonsurgical treatment of open bite in nongrowing patients. *American Journal of Orthodontics and Dentofacial Orthopedics* 1995;108(6):651-59.
- Chang YI, Moon SC. Cephalometric evaluation of the anterior open bite treatment. *American Journal of Orthodontics and Dentofacial Orthopedics* 1999;115(1):29-38.
- Justus R. Correction of anterior open bite with spurs: long-term stability. *World J Orthod* 2001;2(3):219-31.
- Smithpeter J, Covell Jr D. Relapse of anterior open bites treated with orthodontic appliances with and without orofacial myofunctional therapy. *American Journal of Orthodontics and Dentofacial Orthopedics* 2010;137(5):605-14.
- de Cuebas JO. Nonsurgical treatment of a skeletal vertical discrepancy with a significant open bite. *American journal of orthodontics and dentofacial orthopedics* 1997;112(2):124-31.
- Huang GJ, Justus R, Kennedy DB, Kokich VG. Stability of anterior openbite treated with crib therapy. *The Angle Orthodontist* 1990;60(1):17-24.

## Instructions for Authors

West African Journal of Orthodontics is a peer-reviewed journal published by affiliated Orthodontic Groups and Associations in the West African Sub region. The journal gives priority to reports of outstanding clinical and experimental and epidemiological works on malocclusion, dento-facial defects as well as important contributions related to common orthodontic problems in children, adolescents and adults worldwide.

### Submission

Manuscripts and registered letters should be sent to: the Editor, West African Journal of Orthodontics, Department of Child Dental Health, Faculty of Dentistry, College of Health Sciences Obafemi Awolowo University, Ile-Ife, Osun State. Nigeria.

Manuscripts in MS word attachments may also be submitted via Email to [wajoeditorinchief@yahoo.com](mailto:wajoeditorinchief@yahoo.com), in addition to hard copies. Tables, figures and text should be included in the same file if possible. Authors may submit their research works by email only; such manuscripts need not be simultaneously sent by post.

However, photographs and/or figures need to be sent separately as hard copy (under figures and illustrations).

### Acceptance

Manuscripts should meet the following criteria: original material, clear writing, appropriate study methods, valid data, and reasonable conclusions supported by the data, in short, they should contain important information on topic of general orthodontic interest.

### Peer-review Process

All the manuscripts that adhere to its style and Instructions for Authors are referred to peer-review. Some of them are rejected immediately after an inhouse review. The rejection at this stage is due to insufficient originality, serious scientific flaws or absence of message. The remaining articles are sent to at least two reviewers who are experts in the subject. Manuscripts are reviewed with due respect for authors' confidentiality, and the identity of peer reviewers is also kept confidential. A decision is made from 6 to 12

weeks according to the response from reviewers, revision by the author(s) and reappraisal on the revision.

The accepted manuscripts are subjected to editorial revision to comply with the requirements on language and style of the journal. The rejected manuscript is not returned to authors but its copies are kept for 3 months to answer any queries. The copyright of the accepted and published articles is held by the journal and all the published materials cannot be reproduced or published elsewhere, in whole or part, without the written permission from the editor.

### Duplicate Submission

Manuscripts are considered with the understanding that they have not been published previously and are not under consideration by another publication. The author should alert the editor if the work includes subjects about which a previous report has been published. A research paper submitted to this journal should not overlap by more than 10% with the previously published material or work submitted elsewhere, which would be considered as duplicate publication. If in doubt, authors may forward copies of the published work or material submitted elsewhere to this journal for decision making.

### Proofs and Reprints

The corresponding author of the accepted article shall be supplied with the proof. Corrections on the proof should be restricted to errors only and no substantial additions/deletions should be made. No addition or deletion in the names of the authors is permissible at this stage. A copy of the issue carrying the article is supplied free of charge to the authors.

Reprints may be ordered on payment in advance.

### Categories of Articles

Articles can be sent as editorials, original articles, review articles, special communications, brief reports, case reports, letters to editor, commentaries, or for images section.

address. They are mostly included under Events of Interest free of cost. This journal reserves the right to be selective in publishing these announcements.

### **Preparing Manuscripts**

Manuscripts should be prepared in accordance with the Uniform Requirements for Manuscripts submitted to Biomedical Journals. 2 A summary of technical requirements for preparing the manuscript is provided below:

- Three copies of the manuscript should be submitted.
- Use 1 side of standard size 21.6x27.9 cm A4, white bond paper, with margins of at least 2.5 cm on each side.
- Double-space throughout including title page, abstract, text, acknowledgements, references, tables and figure legends. Start each of these sections (in same order) on a new page, numbered consecutively in the upper right hand corner, beginning with the title page.
- Use at least 12 point font size (Times New Roman or Arial).
- Submit photographs and transparencies in a separate heavy paper envelope (enclosed in cardboard, to prevent bending during mail handling).
- Conventional units are preferred with SI units in parenthesis, if available. The metric system is preferred for the expression of length, area, mass and volume.
- Use nonproprietary names of material rugs, devices and other products.
- All manuscripts should be accompanied by a signed statement by all authors regarding authorship, responsibility, financial disclosure and acknowledgements, as per standard format (Appendix J)[23 1 Those sending their manuscript through email are also required to submit this form by post with original signatures.

Manuscripts not fulfilling the technical requirements shall be returned to the authors without initiating the peer-review process.

### **Title Page**

The page should contain (i) the title of the article: which should be concise but informative (simpler the title the better; preferably it should contain all the key words to help electronic retrieval reliably); (ii) a short

running title of less than 40 characters placed at the foot end of the title page; (iii) initials and surname of each author with the highest academic degree(s) and designation at the time when the work was done; (iv) details of the contribution of each author; (v) name of department(s) and institution(s) to which the work should be attributed; (vi) disclaimers, if any; (vii) name, address, telephone, fax, email address of the corresponding author, (viii) source(s) of support in the form of grants, equipment, drugs or all of these; and (ix) declaration on competing interests.

### **Authorship**

All persons designated as authors should qualify for the authorship. Authorship credit should be based on substantial contributions to (i) concept and design, or acquisition of data, or analysis and interpretation of data; (ii) drafting the article or revising it critically for important intellectual content; and (iii) final approval of the version to be published. Conditions 1, 2 and 3 must all be met. Participation solely in the acquisition of funding or the collection of data does not justify authorship. All such people who contributed to the work but do not satisfy all the conditions should be listed in the acknowledgements.

Authors are responsible for obtaining written permissions from everyone acknowledged by name. One of the authors shall act as guarantor of the paper and he/she should take the responsibility for the integrity of the work as a whole, from its inception to published article.

Authors should provide a description of what each author contributed on the title page. Subsequently, no names can be added or deleted without written permission of the editor. Written consent of authors whose names are being deleted should be obtained.

This journal reserves the right to satisfy itself regarding the specific role of each listed author to justify authorship. All authors must give signed consent to publication (Appendix 1).

### **Competing Interest**

Competing interest for a given manuscript exists when the author has ties to activities that could inappropriately influence his or her judgment, whether or not judgment is in fact affected. Financial relationships with industry for example, through employment, consultancies, stock ownership, honoraria, expert testimony, either directly or through immediate family, are usually considered to be the most important competing interests. However, conflicts can

## Original Article

Original articles should report original research relevant to basic and clinical orthodontics including randomized trials, intervention studies, studies of screening and diagnostic tests, cohort studies, cost effectiveness analyses and case control studies. While reporting randomized controlled trials (RCT), authors must attempt to be in conformity with the consolidated standards of reporting trial.

### (CONSORT) statements

Each manuscript should be accompanied with a structured abstract (divided into background, methods, results and conclusions) in no more than 250 words. Four to five key words to facilitate indexing should be provided in alphabetical order along with the abstract. The text should be divided in sections on introduction, methods, results, discussion and conclusion.

Acknowledgment section may be included where necessary. Number of tables and figures should be limited to the very relevant ones and may be compressed if necessary. The typical text length for such contributions is 2500-3 500 words (excluding title page, abstract, tables, figures, acknowledgments and references).

### Brief Report

Short accounts of original studies are published as brief reports. The text should be divided into sections, i.e., abstract, introduction, methods, results and discussion.

Abstract should be of 100-150 words highlighting the aims, methods and main results along with 3-4 key words.

The text should contain no more than 1500 words, 3 illustrations or tables and up to 20 references, preferably recent publications.

### Review Article

State-of-the-art review articles or systematic, critical assessments of literature are also published. Normally a review article on a subject already published in the West African Journal of Orthodontics is not accepted for a period of 3 years.

The typical length for review articles is 2000-3000 words, excluding tables, figures, and references.

Authors submitting review manuscripts should include a structured abstract of around 200 words describing the need and purpose of review, methods used for selection, extraction and synthesis of data, and main conclusions.

Clinical cases highlighting uncommon malocclusion condition, orthodontic treatment techniques are published as case reports. Single case reports are usually not accepted, unless some new or unusual aspect regarding aetiopathogenesis, diagnosis or management is brought out that adds to the existing body of knowledge. The text should not exceed 1000 words and is divided into sections, i.e., abstract, introduction, case report and discussion. The number of tables/figures should be limited to 2. Ten recent references are acceptable. A maximum of 3 or 1 author is permitted from the principle and each of the associated departments respectively. Thus, case reports from only one investigative department can have a maximum of 3 authors.

### Letter to Editor(s)

Letters commenting upon a recent article in the West African Journal of Orthodontics are welcome.

Such letters should be received within 6 months of the article's publication. At the editorial board's discretion, a letter may be sent to authors! experts for comments and both letter and reply may be published together. Letters may also relate to other topics of interest to orthodontists and others, and/or useful clinical observations. Letters should not be more than 400 words. The number of authors should not exceed 2, including the authors' reply in response to a letter commenting upon an article published in this journal.

### Images Section

A short text of about 150 words depicting the condition with color photographs (vide infra) is needed.

Normally only clinical photographs are accepted but accompanying skiagrams or pathological images could also be considered for publication.

Photographs should be of high quality, clearly identify the condition and preferably add to the existing knowledge.

### Personal Viewpoint

Such articles are published on topical orthodontic issues including social aspects. It is expected that the authors have sufficient credible experience on the subject for giving viewpoints. These should not exceed 1500 words.

### Notes, News and Events of Interest

Announcements for conferences, symposia, meetings or courses may be sent for publication in advance. The announcements should provide title, date(s) and place of the event and contact address, telephone, and email

occur for other reasons, such as personal relationships, academic competition and intellectual passion. If any of the authors have accepted reimbursement for attending symposium, a fee for speaking, fee for organizing educational reach, funds for a member of the staff of consultation fees from an organization that may in: way gain or lose financially from the result of the study, review, editorial or letter, a competing interest would be deemed to exist. If any of the authors had been employed by an organization that may in any way gain or lose financially from the publication, or if any of them hold stocks or shares in such an organization, competing interest would be deemed to exist. If competing interest exists, the author(s) must disclose them while submitting the manuscript.

### **Abstract and Key Words**

The second page should carry an abstract in case of original article (250 words), review article (200 words), brief report (100-150 words), and case report (50 words), respectively. For original article and reviews, the abstract should be structured as detailed earlier. For brief reports, the abstract should state the purpose of the study, basic methodology, main findings (giving specific data and statistical significance) and key conclusion(s). Below the abstract, authors should provide 3-5 key words for indexing; terms from the Medical Subject Headings (MESH) list of Index Medicus should be used. The basic structure of a paper follows the well known acronym IMRAD, which stands for Introduction (what questions was asked), Methods (how was it studied), Results (what was found) and Discussion<sup>4</sup>.

### **Introduction**

The introduction must clearly state the question that the author(s) tried to answer in the study. It may be necessary to briefly review the relevant literature. Only cite those references that are essential to justify the proposed study.

### **Materials and Methods**

The methods section should describe, in a logical sequence, how the study was designed (e.g., how randomization was done), carried out (e.g., how subjects were chosen or excluded, ethical considerations, accurate details of materials used, exact drug dosage and form of treatment, etc.) and data were analyzed (e.g., an estimate of the power of the study, exact test used for statistical analysis, etc.). For standard methods, appropriate references are sufficient, but if standard methods are modified these should be clearly brought out.

Authors should provide complete details of any new methods or apparatus used (manufacturer's name and address in parentheses).

### **Ethics**

When reporting experiments on human subjects, authors should indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional or regional) and with the Helsinki Declaration of 1964, as revised in 2000.

They should indicate whether the study was approved by the Institutions' Ethical Committee, and whether informed consent was obtained from the study participants. They should not use patients' names, initials, or hospital numbers, especially in illustrative material. This journal reserves the right to reject a manuscript on ethical grounds, on the basis of recommendations of its "Ethical Committee", even if the research has been cleared by the institutional ethical committee. Moreover, when reporting experiments on animals, authors should indicate whether the institutional and national guide for the care and use of laboratory animals was followed.

### **Statistics**

Authors should describe statistical methods with enough detail to enable a knowledgeable reader with access to the original data to verify the reported results. When possible, they meet to quantify findings and present them with appropriate indicators of measurement error or uncertainty (such as confidence intervals). Actual P values are provided rather than stating as just  $<0.05$  or  $>0.05$  etc. References for the design of the study and statistical methods should be to standard works when possible (with pages stated) rather than to papers in which the designs or methods were originally reported. Any general-use computer programs used should be specified and statistical terms, abbreviations, and most symbols be defined.

### **Results**

This section should include only relevant, representative data and not all information collected during the study. Major findings should be presented clearly and concisely. Text, tables, and illustrations should be used sensibly while avoiding repeating in the text all the data depicted in the tables or illustrations and emphasizing or summarizing only important observations. Tables and figures should be restricted to those needed to explain the argument of the paper and to assess its support. It is necessary to cite the tables in the text and type them on separate sheets. It may also be useful to mention what the study did not find.

## Discussion

Discussion ordinarily should not be more than one third of the total length of the manuscript. This section should include a summary of the major findings, their relationship to other similar studies, limitations of methods and implications of these findings in future research. Conclusions should be linked to the goals of the study. Unqualified statements and conclusions which are not completely supported by the data should be avoided. Authors should also refrain from making statements on economic benefits and costs unless their manuscript includes economic data and analyses.

## Acknowledgements

In acknowledgements section, it is suitable to list all contributors who do not meet the criteria for authorship, such as a person who provided purely technical help, writing assistance, or a department head who provided only general support. Financial and material support should also be acknowledged.

Groups of persons who have contributed materially to the paper but whose contributions do not justify authorship may be listed under a heading such as "clinical investigators" or "participating investigators", and their function or contribution should be described, for example, "served as scientific advisers", "critically reviewed the study proposal", "collected data", or "provided and cared for study patients". A written consent is required from all the persons acknowledged, indicating their acceptance for the same.

## Contributions to joint-authorship

In the case of multiple author-ship, authors are expected to state clearly their contributions to the paper being considered for publication in terms of study initiation, design including methodology, data collection, analysis and final write-up. The editorial board reserves the right to remove any author's name if the contribution is insignificant.

## References

References should be numbered consecutively in the order in which they are first mentioned in the text.

References are identified in text, tables, and legends by Arabic numerals in parentheses. References cited only in tables or in legends to figures should be numbered in accordance with the sequence established by the first identification in the text of the particular table or figure.

The titles of journals should be abbreviated according to the style used in Index Medicus. Authors are required not to use abstracts, unpublished observations and personal communications as references. References to papers accepted but not yet published should be designated as "in press"; authors should obtain written permission to cite such papers as well as verification that they have been accepted for publication.

The references must be verified by the author against the original documents. The Uniform Requirements style (the Vancouver style) is based largely on an American National Standards Institute (ANSI) standard style adapted by the NLM for its databases.

## Journal Article

List all authors when 6 or less. When 7 or more, list only first six and add et al. Ngan P, Yiu C, Hu A, Hagg U, Ei SHY, Gunel E. Cephalometric and occlusal changes following maxillary expansion and protraction. *Eur J Orthod* 1998; 20: 237-254.

## Organization as Author

Australian Dental Association Inc. An Australian Schedule of Dental Services and Glossary. 7th edn. Sydney: Australian Dental Association Inc., 1996.

## Complete Book

Department of Health. Shifting the balance of power within the NHS: securing delivery. London: Doll, 2001.

Clayton D, Hills M. Statistical models in epidemiology. Oxford: Oxford University Press, 1993.

Farkas LG. Anthropometry of the Head and Face, 2nd Edn, New York; Raven Press; 1994

Book Chapter Lekholm U, Zarb GA. Patient selection and preparation. In: Branemark P1, Zarb GA, Albrektsson T, editors.

Tissue integrated Prostheses: Osseointegration in Clinical Dentistry, Chicago: Quintessence; 1988,199-209

## Thesis and Dissertation

Yong SJ. Bone mineral density of normal Korean adults. Ph.D. Thesis. Seoul, Korea; 1989 Anozike, AN. Orthodontic treatment needs and its impact on oral health related quality of life in Lagos school children aged 12-16 years. FMCDs. Dissertation. Lagos, Nigeria; 2006

### **Conference Proceedings**

Marshall SJ, Rixon RC, Whiteford DN, Cumming JT. The OrthoForm 3-Dimensional Clinical Facial Imaging System. Proceedings of the 15th IFHE Congress 1998; 15:83-87.

### **Dictionary and Similar References**

Stedman's medical dictionary. 26th ed. Baltimore: Williams & Wilkins; 1995. Apraxia; p.11 9-120. Unpublished accepted material Leshner AI. Molecular mechanism of cocaine addiction. N Eng J Med. In Press 1996.

### **Material from Internet**

World Health Organization, 2002.  
www.who.int/mental-health/prevention/suicide (accessed August 1, 2004).

### **Tables**

Each table should be typed in double-space on a separate sheet of paper. Tables not submitted as photographs must be numbered consecutively (Arabic numerals) in the order of their first citation in the text, with a brief but self explanatory title for each.

Each column should have a short or abbreviated heading. Explanatory matters are placed in footnotes, not in the heading. In footnotes all nonstandard abbreviations that are used in each table should be explained adequately. Statistical measures of variations should be identified such as standard deviation and standard error of the mean. Be sure that each table is cited in the text. If data are used from another published or unpublished source, it is necessary to obtain permission and acknowledge them fully.

### **Figures and Instructions**

Figures should be professionally drawn and photographed; freehand or typewritten lettering is unacceptable. Instead of original drawings, X-ray films, and other material, sharp, glossy, black-and-white photographic prints of high quality are necessary, usually 127x 173 mm (5x7 in) but no larger than 203x254 mm (8x10 in) For color illustrations negatives or positive transparencies are provided, along with color prints. It is preferable to have the photograph in portrait form rather than in landscape form to fit easily into one column. Letters, numbers and symbols in photographs should be clearly legible.

Each figure should have a label pasted on its back indicating the number of the figure, author's name, and an arrow to mark the top and left side of the figure.

It is unacceptable to write on the back of figures or scratch or mark them by using paper clips, and to bend figures or mount them on cardboard. If photographs of individual/people are used, either the subjects must not be identifiable or their pictures must be accompanied by written permission to use the photograph. It is advisable to cover the eyes unless specifically need to be shown. If a figure has been published, the original source should be acknowledged and written permission from the copyright holder be obtained to reproduce the material. Figures should be numbered consecutively (Arabic numerals) according to the order in which they have been first cited in the text.

### **Legends for Illustrations**

Legends for illustrations should be typed or printed out in double-space, starting on a separate page, with Arabic numerals corresponding to the illustrations.

When symbols, arrows, numbers, or letters are used to identify parts of the illustrations, each of them must be identified and explained in the legend. The internal scale should be explained and the method of staining in photomicrographs be identified.

### **Units of Measurement**

Measurements of length, height, weight, and volume should be reported in metric units, i.e., meter(m), gram(g), or liter(l) or their decimal multiples.

Milliliter or deciliter should be expressed as ml or dl.

Red and white blood cell counts are to be expressed as  $63 \times 10^6 / \text{mc l}$  and  $\times 10^6 / \text{mc}$  respectively. Temperatures should be given in degrees Celsius and blood pressures in millimeters of mercury (mmHg). All hematological and clinical chemistry measurements should be reported in the conventional system or in terms of the International System of Units (SI).

### **Abbreviations and symbols**

Only standard abbreviations are used in the text while avoiding abbreviations in the title and abstract.

The full term for which an abbreviation stands should precede its first use in the text unless it is a standard unit of measurement. Year, month, day, hour, minute and second should be abbreviated as yr, mon, d, h, mm, and s in tables respectively.

## References

1. Mother M, Schulz KF, Altman DG, for the CONSORT Group. The CONSORT statement Revised recommendations for improving the quality of reports of parallel group randomize Trials. *Lancet* 2001; 357: 1191-1194. (Also available from: URL: <http://www.consort-statement.org/>). Accessed June 28, 2002.
2. International Committee of Medical Journal Editors. Uniform Requirements for Manuscripts Submitted to Biomedical Journals. *Ann Intern Med* 1997;126:36-47. (Updated October 2001 version Available from: URL: <http://www.icmje.org/>). Accessed June 28,2002.
3. JAMA Instructions for Authors. Available from URL: <http://jama.ama-assn.org/>. Accessed June 28, 2002.
4. Hall GM. Structure of a scientific paper. In: Hall GM, ds. *How to write a paper*. London:BMJ Books, 2000.
5. 52nd WMA General Assembly. World Medical Association Declaration of Helsinki. Ethical principles for medical research involving human subjects. Available from: URL: <http://www.wma.net/>. Accessed June 28,2002.

## Appendix 1:

### Declaration of Originality and Transfer of Copyright

*(Please download from Nigerian Association of Orthodontists (NAO) website <https://www.nao-ng.org/>)*

This form is to be submitted with the initial copies of the manuscript to: West African Journal of Orthodontics, Department of Child Dental Health, Obafemi Awolowo University Ile-Ife, Osun State. Nigeria Manuscript No. (If known):

The author(s) hereby affirms that the submitted manuscript entitled:

I/We certify that the manuscript represents valid work and that neither this manuscript nor one with substantially similar content under my/our authorship has been published or is being considered for publication elsewhere. For papers with more than I author, we agree to allow the corresponding author to serve as the primary correspondent with the editorial office, to review the edited typescript and proof.

I/We have seen and approved the submitted manuscript. All of us have participated sufficiently in the work to take public responsibility for the contents. All the authors have made substantial contributions to the intellectual content of the paper and fulfill at least 1 condition for each of the 3 categories of contributions: i.e., Category 1 (conception and design, acquisition of data, analysis and interpretation of data), Category 2 (drafting of the manuscript, critical revision of the manuscript for important intellectual content) and Category 3 (final approval of the version to be published).

I/We also certify that all my/our affiliations with or financial involvement with any organization or entity with a financial interest in or financial conflict with the subject matter or materials discussed in the manuscript are completely disclosed on the title page of the manuscript. My/our right to examine, analyze, and publish the data is not infringed upon by any contractual agreement.

I/We certify that all persons who have made substantial contributions to the work reported in this manuscript (e.g., data collection, writing or editing assistance) but who do not fulfill the authorship criteria are named along with their specific contributions in an acknowledgment section in the manuscript. If an acknowledgment section is not included, no other persons have made substantial contributions to this manuscript.

I/We also certify that all persons named in the acknowledgment section have provided written permission to be named.

The author(s) undersigned hereby transfer(s), assign(s), or otherwise convey(s) all copyright ownership, including any and all rights incidental thereto, exclusively to the West African Journal of Orthodontics, in the event that such work is published in the West African Journal of Orthodontics.

Authors name(s) in order of appearance in the manuscript; signatures (date):

